

LEADSAFETY for Remodeling, Repair and Painting

Certified Renovator Training Hands-On Skills Assessment

Date: 8/12/15 Address: _____ City & State: 210 Exchange St. N Haven, CT.
 Student Name: Marvin Santos Student Signature: [Signature]

Skill Set	Skill Description	Student has demonstrated proficiency at the following skills consistent with the requirements of the EPA RRP Rule.	Trainer's Initials
#1	Using EPA-Recognized Test Kits	Using test kit to properly test for lead-based paint and document results.	
#2	Setting up Barriers, Signs, and Flapped Entry Doors	Placing critical barriers and posting signs to isolate work area from access by unauthorized individuals.	
#3	Cover or Remove Furniture	Identifying the proper steps in determining when and how to cover or remove furniture and belongings from the work area.	
#4	Establish Interior Containment	Using the proper steps to cover floors and close and seal doors and windows in the work area.	
#5	Establish Exterior Containment	Taking proper steps to restrict entry to the exterior work area and to protect the ground under and around the work area from becoming contaminated.	
#6	Personal Protective Equipment	Using dust reduction techniques while performing common renovation, repair, and painting work activities.	
#7	Interior Final Cleaning	Cleaning the interior work area after the completion of work and prior to the visual inspection and cleaning verification procedure or dust clearance examination.	
#8	Exterior Final Cleaning	Cleaning the exterior work area after the completion of the work and prior to visual inspection and (if required) cleaning verification or dust clearance examination.	
#9	Bagging Waste	Taking steps to bag and gooseneck waste, wrap large pieces of debris, and to carry them out of the work area.	
#10	Visual Inspection	Conducting a visual inspection of the work area prior to the cleaning verification procedure.	
#11	Cleaning Verification Procedure	Conducting cleaning verification procedure.	

I am the trainer for the Certified Renovator course offered on the date and location described above. I verify that the student has demonstrated the skills as described above.

Trainer Name: Marcos Penilla Trainer Signature: [Signature]
 Trainer Phone: 203 6682939 Organization: IPS Date: 8/12/15

LEADSAFETY for Remodeling, Repair and Painting

Certified Renovator Training Hands-On Skills Assessment

Date: 8/14/15 Address: 210 Exchange St. City & State: New Haven
 Student Name: Abdias Hernandez Student Signature: Abdias Hernandez

Skill Set	Skill Description	Student has demonstrated proficiency at the following skills consistent with the requirements of the EPA RRP Rule	Trainer's Initials
#1	Using EPA-Recognized Test Kits	Using test kit to properly test for lead-based paint and document results.	
#2	Setting up Barriers, Signs, and Flapped Entry Doors	Placing critical barriers and posting signs to isolate work area from access by unauthorized individuals	
#3	Cover or Remove Furniture	Identifying the proper steps in determining when and how to cover or remove furniture and belongings from the work area	
#4	Establish Interior Containment	Using the proper steps to cover floors and close and seal doors and windows in the work area.	
#5	Establish Exterior Containment	Taking proper steps to restrict entry to the exterior work area and to protect the ground under and around the work area from becoming contaminated.	
#6	Personal Protective Equipment	Using dust reduction techniques while performing common renovation, repair, and painting work activities.	
#7	Interior Final Cleaning	Cleaning the interior work area after the completion of work and prior to the visual inspection and cleaning verification procedure or dust clearance examination.	
#8	Exterior Final Cleaning	Cleaning the exterior work area after the completion of the work and prior to visual inspection and (if required) cleaning verification or dust clearance examination.	
#9	Bagging Waste	Taking steps to bag and gooseneck waste, wrap large pieces of debris, and to carry them out of the work area.	
#10	Visual Inspection	Conducting a visual inspection of the work area prior to the cleaning verification procedure.	
#11	Cleaning Verification Procedure	Conducting cleaning verification procedure.	

I am the trainer for the Certified Renovator course offered on the date and location described above. I verify that the student has demonstrated the skills as described above.

Trainer Name: Wendy Peralta Trainer Signature: Wendy Peralta
 Trainer Phone: 203 668 2939 Organization: EPS Date: 8/14/15

LEADSAFETY for Remodeling, Repair and Painting

Certified Renovator Training Hands-On Skills Assessment

Date: 8/14/15 Address: _____ City & State: New Haven CT.
 Student Name: Seu Escalante Student Signature: Seu Escalante

Skill Set	Skill Description	Student has demonstrated proficiency at the following skills consistent with the requirements of the EPA RRP Rule	Trainer's Initials
#1	Using EPA-Recognized Test Kits	Using test kit to properly test for lead-based paint and document results.	
#2	Setting up Barriers, Signs, and Flapped Entry Doors	Placing critical barriers and posting signs to isolate work area from access by unauthorized individuals.	
#3	Cover or Remove Furniture	Identifying the proper steps in determining when and how to cover or remove furniture and belongings from the work area.	
#4	Establish Interior Containment	Using the proper steps to cover floors and close and seal doors and windows in the work area.	
#5	Establish Exterior Containment	Taking proper steps to restrict entry to the exterior work area and to protect the ground under and around the work area from becoming contaminated.	
#6	Personal Protective Equipment	Using dust reduction techniques while performing common renovation, repair, and painting work activities.	
#7	Interior Final Cleaning	Cleaning the interior work area after the completion of work and prior to the visual inspection and cleaning verification procedure or dust clearance examination.	
#8	Exterior Final Cleaning	Cleaning the exterior work area after the completion of the work and prior to visual inspection and (if required) cleaning verification or dust clearance examination.	
#9	Bagging Waste	Taking steps to bag and gooseneck waste, wrap large pieces of debris, and to carry them out of the work area.	
#10	Visual Inspection	Conducting a visual inspection of the work area prior to the cleaning verification procedure.	
#11	Cleaning Verification Procedure	Conducting cleaning verification procedure.	

I am the trainer for the Certified Renovator course offered on the date and location described above. I verify that the student has demonstrated the skills as described above.

Trainer Name: Waydo Penalta Trainer Signature: Waydo Penalta
 Trainer Phone: 203-668-2939 Organization: TPA Date: 8/14/15

LEADSAFETY for Remodeling, Repair and Painting

Certified Renovator Training Hands-On Skills Assessment

Date: 8/12/15 Address: _____ City & State: IPS EPHRAT New Haven
 Student Name: Flavi Escalante Student Signature: _____ CT.

Skill Set	Skill Description	Student has demonstrated proficiency at the following skills consistent with the requirements of the EPA RRP Rule.	Trainer's Initials
#1	Using EPA-Recognized Test Kits	Using test kit to properly test for lead-based paint and document results.	
#2	Setting up Barriers, Signs, and Flapped Entry Doors	Placing critical barriers and posting signs to isolate work area from access by unauthorized individuals.	mp
#3	Cover or Remove Furniture	Identifying the proper steps in determining when and how to cover or remove furniture and belongings from the work area.	mp
#4	Establish Interior Containment	Using the proper steps to cover floors and close and seal doors and windows in the work area.	mp
#5	Establish Exterior Containment	Taking proper steps to restrict entry to the exterior work area and to protect the ground under and around the work area from becoming contaminated.	mp
#6	Personal Protective Equipment	Using dust reduction techniques while performing common renovation, repair, and painting work activities.	mp
#7	Interior Final Cleaning	Cleaning the interior work area after the completion of work and prior to the visual inspection and cleaning verification procedure or dust clearance examination.	mp
#8	Exterior Final Cleaning	Cleaning the exterior work area after the completion of the work and prior to visual inspection and (if required) cleaning verification or dust clearance examination.	mp
#9	Bagging Waste	Taking steps to bag and gooseneck waste, wrap large pieces of debris, and to carry them out of the work area.	mp
#10	Visual Inspection	Conducting a visual inspection of the work area prior to the cleaning verification procedure.	
#11	Cleaning Verification Procedure	Conducting cleaning verification procedure.	

I am the trainer for the Certified Renovator course offered on the date and location described above. I verify that the student has demonstrated the skills as described above.

Trainer Name: Marcos Perilla Trainer Signature: _____
 Trainer Phone: 203 668 2439 Organization: IPS Date: 8/12/15

LEADSAFETY for Remodeling, Repair and Painting

Certified Renovator Training Hands-On Skills Assessment

Date: 8/12/15 Address: _____ City & State: St. Wilson St.
 Student Name: Edwin Jimenez Student Signature: [Signature]

Skill Set	Skill Description	Student has demonstrated proficiency at the following skills consistent with the requirements of the EPA RRP Rule.	Trainer's Initials
#1	Using EPA-Recognized Test Kits	Using test kit to properly test for lead-based paint and document results.	
#2	Setting up Barriers, Signs, and Flapped Entry Doors	Placing critical barriers and posting signs to isolate work area from access by unauthorized individuals.	
#3	Cover or Remove Furniture	Identifying the proper steps in determining when and how to cover or remove furniture and belongings from the work area.	
#4	Establish Interior Containment	Using the proper steps to cover floors and close and seal doors and windows in the work area.	
#5	Establish Exterior Containment	Taking proper steps to restrict entry to the exterior work area and to protect the ground under and around the work area from becoming contaminated.	
#6	Personal Protective Equipment	Using dust reduction techniques while performing common renovation, repair, and painting work activities.	
#7	Interior Final Cleaning	Cleaning the interior work area after the completion of work and prior to the visual inspection and cleaning verification procedure or dust clearance examination.	
#8	Exterior Final Cleaning	Cleaning the exterior work area after the completion of the work and prior to visual inspection and (if required) cleaning verification or dust clearance examination.	
#9	Bagging Waste	Taking steps to bag and gooseneck waste, wrap large pieces of debris, and to carry them out of the work area.	
#10	Visual Inspection	Conducting a visual inspection of the work area prior to the cleaning verification procedure.	
#11	Cleaning Verification Procedure	Conducting cleaning verification procedure.	

I am the trainer for the Certified Renovator course offered on the date and location described above. I verify that the student has demonstrated the skills as described above.

Trainer Name: Marcelo Peralt Trainer Signature: [Signature]
 Trainer Phone: 213 668 2439 Organization: IPS Date: 8/12/15

LEADSAFETY for Remodeling, Repair and Painting

Certified Renovator Training Hands-On Skills Assessment

Date: 8/10/15 Address: 270 Peck St City & State: New Haven CT
 Student Name: Mario Cardenas Student Signature: [Signature]

Skill Set	Skill Description	Student has demonstrated proficiency at the following skills consistent with the requirements of the EPA RRP Rule.	Trainer's Initials
#1	Using EPA-Recognized Test Kits	Using test kit to properly test for lead-based paint and document results.	
#2	Setting up Barriers, Signs, and Flapped Entry Doors	Placing critical barriers and posting signs to isolate work area from access by unauthorized individuals.	cm
#3	Cover or Remove Furniture	Identifying the proper steps in determining when and how to cover or remove furniture and belongings from the work area.	cm
#4	Establish Interior Containment	Using the proper steps to cover floors and close and seal doors and windows in the work area.	cm
#5	Establish Exterior Containment	Taking proper steps to restrict entry to the exterior work area and to protect the ground under and around the work area from becoming contaminated.	cm
#6	Personal Protective Equipment	Using dust reduction techniques while performing common renovation, repair, and painting work activities.	cm
#7	Interior Final Cleaning	Cleaning the interior work area after the completion of work and prior to the visual inspection and cleaning verification procedure or dust clearance examination.	cm
#8	Exterior Final Cleaning	Cleaning the exterior work area after the completion of the work and prior to visual inspection and (if required) cleaning verification or dust clearance examination.	cm
#9	Bagging Waste	Taking steps to bag and gooseneck waste, wrap large pieces of debris, and to carry them out of the work area.	cm
#10	Visual Inspection	Conducting a visual inspection of the work area prior to the cleaning verification procedure.	
#11	Cleaning Verification Procedure	Conducting cleaning verification procedure.	

I am the trainer for the Certified Renovator course offered on the date and location described above. I verify that the student has demonstrated the skills as described above.

Trainer Name: Carlos Morals Trainer Signature: [Signature]
 Trainer Phone: 262 759 2061 Organization: IRS Date: 8/10/15

LEADSAFETY for Remodeling, Repair and Painting

Certified Renovator Training Hands-On Skills Assessment

Date: 8/10/15 Address: 20 Bunker Hill Rd City & State: Groton, CT
 Student Name: Luis A. Lopez Student Signature: _____

Skill Set	Skill Description	Student has demonstrated proficiency at the following skills consistent with the requirements of the EPA RRP Rule.	Trainer's Initials
#1	Using EPA-Recognized Test Kits	Using test kit to properly test for lead-based paint and document results.	
#2	Setting up Barriers, Signs, and Flapped Entry Doors	Placing critical barriers and posting signs to isolate work area from access by unauthorized individuals.	CM
#3	Cover or Remove Furniture	Identifying the proper steps in determining when and how to cover or remove furniture and belongings from the work area.	CM
#4	Establish Interior Containment	Using the proper steps to cover floors and close and seal doors and windows in the work area.	CM
#5	Establish Exterior Containment	Taking proper steps to restrict entry to the exterior work area and to protect the ground under and around the work area from becoming contaminated.	CM
#6	Personal Protective Equipment	Using dust reduction techniques while performing common renovation, repair, and painting work activities.	CM
#7	Interior Final Cleaning	Cleaning the interior work area after the completion of work and prior to the visual inspection and cleaning verification procedure or dust clearance examination.	CM
#8	Exterior Final Cleaning	Cleaning the exterior work area after the completion of the work and prior to visual inspection and (if required) cleaning verification or dust clearance examination.	CM
#9	Bagging Waste	Taking steps to bag and gooseneck waste, wrap large pieces of debris, and to carry them out of the work area.	CM
#10	Visual Inspection	Conducting a visual inspection of the work area prior to the cleaning verification procedure.	
#11	Cleaning Verification Procedure	Conducting cleaning verification procedure.	

I am the trainer for the Certified Renovator course offered on the date and location described above. I verify that the student has demonstrated the skills as described above.

Trainer Name: Carlos Morab Trainer Signature: Carlos Morab
 Trainer Phone: 860 759 8081 Organization: EP3 Date: 8/10/15

LEADSAFETY for Remodeling, Repair and Painting

Certified Renovator Training Hands-On Skills Assessment

Date: 8/10/15 Address: 175 Fulton St City & State New Haven
 Student Name: Cesar Gonzalez Student Signature: Cesar Gonzalez

Skill Set	Skill Description	Student has demonstrated proficiency at the following skills consistent with the requirements of the EPA RRP Rule.	Trainer's Initials
#1	Using EPA-Recognized Test Kits	Using test kit to properly test for lead-based paint and document results.	
#2	Setting up Barriers, Signs, and Flapped Entry Doors	Placing critical barriers and posting signs to isolate work area from access by unauthorized individuals.	CM
#3	Cover or Remove Furniture	Identifying the proper steps in determining when and how to cover or remove furniture and belongings from the work area	CM
#4	Establish Interior Containment	Using the proper steps to cover floors and close and seal doors and windows in the work area.	CM
#5	Establish Exterior Containment	Taking proper steps to restrict entry to the exterior work area and to protect the ground under and around the work area from becoming contaminated.	CM
#6	Personal Protective Equipment	Using dust reduction techniques while performing common renovation, repair, and painting work activities.	CM
#7	Interior Final Cleaning	Cleaning the interior work area after the completion of work and prior to the visual inspection and cleaning verification procedure or dust clearance examination.	CM
#8	Exterior Final Cleaning	Cleaning the exterior work area after the completion of the work and prior to visual inspection and (if required) cleaning verification or dust clearance examination.	CM
#9	Bagging Waste	Taking steps to bag and gooseneck waste, wrap large pieces of debris, and to carry them out of the work area.	
#10	Visual Inspection	Conducting a visual inspection of the work area prior to the cleaning verification procedure.	
#11	Cleaning Verification Procedure	Conducting cleaning verification procedure.	

I am the trainer for the Certified Renovator course offered on the date and location described above. I verify that the student has demonstrated the skills as described above.

Trainer Name: Cesar Gonzalez Trainer Signature: Cesar Gonzalez
 Trainer Phone: 860 759 8034 Organization: SP3 Date: 8/10/15

LEADSAFETY for Remodeling, Repair and Painting

Certified Renovator Training Hands-On Skills Assessment

Date: 10-23 Address: 247 Moore St City & State: NH Manchester
 Student Name: Mural Bonaparte Student Signature: Mural

Skill Set	Skill Description	Student has demonstrated proficiency at the following skills consistent with the requirements of the EPA RRP Rule.	Trainer's Initials
#1	Using EPA-Recognized Test Kits	Using test kit to properly test for lead-based paint and document results.	
#2	Setting up Barriers, Signs, and Flapped Entry Doors	Placing critical barriers and posting signs to isolate work area from access by unauthorized individuals.	GM
#3	Cover or Remove Furniture	Identifying the proper steps in determining when and how to cover or remove furniture and belongings from the work area.	GM
#4	Establish Interior Containment	Using the proper steps to cover floors and close and seal doors and windows in the work area.	GM
#5	Establish Exterior Containment	Taking proper steps to restrict entry to the exterior work area and to protect the ground under and around the work area from becoming contaminated.	GM
#6	Personal Protective Equipment	Using dust reduction techniques while performing common renovation, repair, and painting work activities.	GM
#7	Interior Final Cleaning	Cleaning the interior work area after the completion of work and prior to the visual inspection and cleaning verification procedure or dust clearance examination.	GM
#8	Exterior Final Cleaning	Cleaning the exterior work area after the completion of the work and prior to visual inspection and (if required) cleaning verification or dust clearance examination.	GM
#9	Bagging Waste	Taking steps to bag and gooseneck waste, wrap large pieces of debris, and to carry them out of the work area.	
#10	Visual Inspection	Conducting a visual inspection of the work area prior to the cleaning verification procedure.	
#11	Cleaning Verification Procedure	Conducting cleaning verification procedure.	

I am the trainer for the Certified Renovator course offered on the date and location described above. I verify that the student has demonstrated the skills as described above.

Trainer Name: GONCALO MARTINS Trainer Signature: [Signature]
 Trainer Phone: 603 418 5261 Organization: [Signature] Date: 10/23/15

LEADSAFETY for Remodeling, Repair and Painting

Quincy

Certified Renovator Training Hands-On Skills Assessment

Date: 10-26 Address: 168 Concord St Apt 2 City & State: Quincy MA
 Student Name: William J. Brown Student Signature: William J. Brown

Skill Set	Skill Description	Student has demonstrated proficiency at the following skills consistent with the requirements of the EPA RRP Rule	Trainer's Initials
#1	Using EPA-Recognized Test Kits	Using test kit to properly test for lead-based paint and document results.	
#2	Setting up Barriers, Signs, and Flapped Entry Doors	Placing critical barriers and posting signs to isolate work area from access by unauthorized individuals.	
#3	Cover or Remove Furniture	Identifying the proper steps in determining when and how to cover or remove furniture and belongings from the work area.	
#4	Establish Interior Containment	Using the proper steps to cover floors and close and seal doors and windows in the work area.	
#5	Establish Exterior Containment	Taking proper steps to restrict entry to the exterior work area and to protect the ground under and around the work area from becoming contaminated.	
#6	Personal Protective Equipment	Using dust reduction techniques while performing common renovation, repair, and painting work activities.	
#7	Interior Final Cleaning	Cleaning the interior work area after the completion of work and prior to the visual inspection and cleaning verification procedure or dust clearance examination.	
#8	Exterior Final Cleaning	Cleaning the exterior work area after the completion of the work and prior to visual inspection and (if required) cleaning verification or dust clearance examination.	
#9	Bagging Waste	Taking steps to bag and gooseneck waste, wrap large pieces of debris, and to carry them out of the work area.	
#10	Visual Inspection	Conducting a visual inspection of the work area prior to the cleaning verification procedure.	
#11	Cleaning Verification Procedure	Conducting cleaning verification procedure.	

I am the trainer for the Certified Renovator course offered on the date and location described above. I verify that the student has demonstrated the skills as described above.

Trainer Name: _____ Trainer Signature: _____
 Trainer Phone: _____ Organization: _____ Date: _____

Quality

LEADSAFETY for Remodeling, Repair and Painting

Certified Renovator Training Hands-On Skills Assessment

Date: 10/1/08 Address: 4600 1st Avenue City & State: Atlanta GA
 Student Name: John Doe Student Signature: [Signature]

Skill Set	Skill Description	Student has demonstrated proficiency at the following skills consistent with the requirements of the EPA RRP Rule	Trainer Initials
#1	Using EPA-Recognized Test Kits	Using test kit to properly test for lead-based paint and document results.	
#2	Setting up Barriers, Signs, and Flapped Entry Doors	Placing critical barriers and posting signs to isolate work area from access by unauthorized individuals.	
#3	Cover or Remove Furniture	Identifying the proper steps in determining when and how to cover or remove furniture and belongings from the work area	
#4	Establish Interior Containment	Using the proper steps to cover floors and close and seal doors and windows in the work area.	
#5	Establish Exterior Containment	Taking proper steps to restrict entry to the exterior work area and to protect the ground under and around the work area from becoming contaminated.	
#6	Personal Protective Equipment	Using dust reduction techniques while performing common renovation, repair, and painting work activities.	
#7	Interior Final Cleaning	Cleaning the interior work area after the completion of work and prior to the visual inspection and cleaning verification procedure or dust clearance examination.	
#8	Exterior Final Cleaning	Cleaning the exterior work area after the completion of the work and prior to visual inspection and (if required) cleaning verification or dust clearance examination.	
#9	Bagging Waste	Taking steps to bag and gooseneck waste, wrap large pieces of debris, and to carry them out of the work area.	
#10	Visual Inspection	Conducting a visual inspection of the work area prior to the cleaning verification procedure.	
#11	Cleaning Verification Procedure	Conducting cleaning verification procedure.	

I am the trainer for the Certified Renovator course offered on the date and location described above. I verify that the student has demonstrated the skills as described above.

Trainer Name: Gonzalo Martinez Trainer Signature: [Signature]
 Trainer Phone: 603.123.4567 Organization: OT Date: 10/1/08

LEADSAFETY for Remodeling, Repair and Painting

Certified Renovator Training Hands-On Skills Assessment

Date: 10-26-15 Address: 409 Washburn St Apt 411 City & State: D.H.
 Student Name: Michael G. Gessock Student Signature: Michael G. Gessock

Skill Set	Skill Description	Student has demonstrated proficiency at the following skills consistent with the requirements of the EPA RRP Rule	Trainer's Initials
#1	Using EPA-Recognized Test Kits	Using test kit to properly test for lead-based paint and document results	
#2	Setting up Barriers, Signs, and Flapped Entry Doors	Placing critical barriers and posting signs to isolate work area from access by unauthorized individuals.	JN
#3	Cover or Remove Furniture	Identifying the proper steps in determining when and how to cover or remove furniture and belongings from the work area.	JN
#4	Establish Interior Containment	Using the proper steps to cover floors and close and seal doors and windows in the work area.	JN
#5	Establish Exterior Containment	Taking proper steps to restrict entry to the exterior work area and to protect the ground under and around the work area from becoming contaminated.	JN
#6	Personal Protective Equipment	Using dust reduction techniques while performing common renovation, repair, and painting work activities.	JN
#7	Interior Final Cleaning	Cleaning the interior work area after the completion of work and prior to the visual inspection and cleaning verification procedure or dust clearance examination.	JN
#8	Exterior Final Cleaning	Cleaning the exterior work area after the completion of the work and prior to visual inspection and (if required) cleaning verification or dust clearance examination.	JN
#9	Bagging Waste	Taking steps to bag and gooseneck waste, wrap large pieces of debris, and to carry them out of the work area.	JN
#10	Visual Inspection	Conducting a visual inspection of the work area prior to the cleaning verification procedure.	
#11	Cleaning Verification Procedure	Conducting cleaning verification procedure.	

I am the trainer for the Certified Renovator course offered on the date and location described above. I verify that the student has demonstrated the skills as described above.

Trainer Name: John G. Gessock Trainer Signature: John G. Gessock
 Trainer Phone: 508-233-1111 Organization: RI Date: 10-26-15

LEADSAFETY for Remodeling, Repair and Painting

Certified Renovator Training Hands-On Skills Assessment

Date: 10-2-09 Address: 268 Concord St City & State: MA 01901
 Student Name: W. D. ... Student Signature: [Signature]

Skill Set	Skill Description	Student has demonstrated proficiency at the following skills consistent with the requirements of the EPA RRP Rule	Trainer's Initials
#1	Using EPA-Recognized Test Kits	Using test kit to properly test for lead-based paint and document results.	
#2	Setting up Barriers, Signs, and Flapped Entry Doors	Placing critical barriers and posting signs to isolate work area from access by unauthorized individuals.	
#3	Cover or Remove Furniture	Identifying the proper steps in determining when and how to cover or remove furniture and belongings from the work area	
#4	Establish Interior Containment	Using the proper steps to cover floors and close and seal doors and windows in the work area.	
#5	Establish Exterior Containment	Taking proper steps to restrict entry to the exterior work area and to protect the ground under and around the work area from becoming contaminated.	
#6	Personal Protective Equipment	Using dust reduction techniques while performing common renovation, repair, and painting work activities.	
#7	Interior Final Cleaning	Cleaning the interior work area after the completion of work and prior to the visual inspection and cleaning verification procedure or dust clearance examination.	
#8	Exterior Final Cleaning	Cleaning the exterior work area after the completion of the work and prior to visual inspection and (if required) cleaning verification or dust clearance examination.	
#9	Bagging Waste	Taking steps to bag and gooseneck waste, wrap large pieces of debris, and to carry them out of the work area	
#10	Visual Inspection	Conducting a visual inspection of the work area prior to the cleaning verification procedure.	
#11	Cleaning Verification Procedure	Conducting cleaning verification procedure.	

I am the trainer for the Certified Renovator course offered on the date and location described above. I verify that the student has demonstrated the skills as described above.

Trainer Name: [Signature] Trainer Signature: [Signature]
 Trainer Phone: 603-315-5700 Organization: [Signature] Date: 10-2-09

LEADSAFETY for Remodeling, Repair and Painting

Certified Renovator Training Hands-On Skills Assessment

Date: 10-23 Address: 247 Moore St City & State: NH Manchester
 Student Name: Mural Bonar Student Signature: Mural

Skill Set	Skill Description	Student has demonstrated proficiency at the following skills consistent with the requirements of the EPA RRP Rule.	Trainer's Initials
#1	Using EPA-Recognized Test Kits	Using test kit to properly test for lead-based paint and document results.	
#2	Setting up Barriers, Signs, and Flapped Entry Doors	Placing critical barriers and posting signs to isolate work area from access by unauthorized individuals.	GM
#3	Cover or Remove Furniture	Identifying the proper steps in determining when and how to cover or remove furniture and belongings from the work area.	GM
#4	Establish Interior Containment	Using the proper steps to cover floors and close and seal doors and windows in the work area.	GM
#5	Establish Exterior Containment	Taking proper steps to restrict entry to the exterior work area and to protect the ground under and around the work area from becoming contaminated.	GM
#6	Personal Protective Equipment	Using dust reduction techniques while performing common renovation, repair, and painting work activities.	GM
#7	Interior Final Cleaning	Cleaning the interior work area after the completion of work and prior to the visual inspection and cleaning verification procedure or dust clearance examination.	GM
#8	Exterior Final Cleaning	Cleaning the exterior work area after the completion of the work and prior to visual inspection and (if required) cleaning verification or dust clearance examination.	GM
#9	Bagging Waste	Taking steps to bag and gooseneck waste, wrap large pieces of debris, and to carry them out of the work area.	
#10	Visual Inspection	Conducting a visual inspection of the work area prior to the cleaning verification procedure.	
#11	Cleaning Verification Procedure	Conducting cleaning verification procedure.	

I am the trainer for the Certified Renovator course offered on the date and location described above. I verify that the student has demonstrated the skills as described above.

Trainer Name: GONCALO MARTINS Trainer Signature: _____

Trainer Phone: 603 418 5444 Organization: _____

Date: 10/23/15

EPA/HUD RRP Certified Renovator

◦ Lead-Edu ◦ 25 Lowell St., Ste. 310 ◦ Manchester, NH 03101 ◦ (603)781-4304 ◦

Certificate of Attendance and Successful Completion

Renovator Initial-English

Diane Cartier

PO BOX 338

Laconia, NH 03247

Certificate Number: **R-I-18692-15-00156**

Course Date: 08/07/2015

Examination Date: 08/07/2015

Expiration Date: 08/07/2020



Training Manager

08/07/2015

Date



United States Environmental Protection Agency

This is to certify that



Brady Sullivan Properties

has fulfilled the requirements of the Toxic Substances Control Act (TSCA) Section 402, and has received certification to conduct lead-based paint renovation, repair, and painting activities pursuant to 40 CFR Part 745.89

In the Jurisdiction of:

All EPA Administered States, Tribes, and Territories

This certification is valid from the date of issuance and expires July 27, 2020

NAT-F155785-1

Certification #

July 13, 2015

Issued On



A handwritten signature in dark ink, appearing to read "Michelle Price".

Michelle Price, Chief

Lead, Heavy Metals, and Inorganics Branch

Enviro Construction Services, Inc.
"We have the solution"



NAT-F156227-1

Company RRP Procedures for lead hazard reduction

PREPARED BY:

**ENVIRO CONSTRUCTION SERVICES INC
110 HAVERHILL ROAD
AMESBURY, MA 01913**

Updated January 2016

United States Environmental Protection Agency

This is to certify that



Enviro Construction Services Inc.

has fulfilled the requirements of the Toxic Substances Control Act (TSCA) Section 402, and has received certification to conduct lead-based paint renovation, repair, and painting activities pursuant to 40 CFR Part 745.89

In the Jurisdiction of:

All EPA Administered States, Tribes, and Territories

This certification is valid from the date of issuance and expires August 06, 2020

NAT-F156227-1

Certification #

July 23, 2015

Issued On



A handwritten signature in dark ink, appearing to read "Michelle Price".

Michelle Price, Chief

Lead, Heavy Metals, and Inorganics Branch



This is to certify that
Kelvin Barrera

38 Exchange Street, Lawrence, MA 01841

has successfully completed the 8-hour course

Lead-Safe Renovator - Supervisor Initial
pursuant to 454 CMR 22.00



Course Location

Institute for Environmental Education, Inc.
16 Upton Drive Wilmington, MA 01887

February 25, 2016

Course Dates

16-0442-373-400718

Certificate Number

February 25, 2016

Examination Date

February 25, 2021

Expiration Date

Training Director

16 Upton Drive, Wilmington, MA 01887

Telephone 978.658.5272

www.ieetrains.com

INSTITUTE FOR ENVIRONMENTAL EDUCATION

1-4 A BETTER ENVIRONMENT

www.1-4ABE.com


54 Baileys Landing, Concord, NH 03303 (603) 753-0070 /c (603) 731-3895

Renovator Initial - English
Per 40 CFR-Part 745.225

Freddy Ramos

111 Rt. 125 / Kingston, NH 03848

COURSE DATE:
6/5/2015
Examination Date:
6/5/2015
Expiration Date:
6/5/2020

x 
TRAINING MANAGER/PRINCIPLE INSTRUCTOR,

6/5/2015 Date



1-4 A BETTER ENVIRONMENT

www.1-4ABE.com


54 Baileys Landing, Concord, NH 03303 (603) 753-0070 /c (603) 731-3895

Renovator Initial - English
Per 40 CFR-Part 745.225

Joldie Batista

137 Saratoga St. / Lawrence, MA 01841

COURSE DATE:
6/5/2015
Examination Date:
6/5/2015
Expiration Date:
6/5/2020

x 
TRAINING MANAGER/PRINCIPLE INSTRUCTOR,
6 Jun 15 Date



1-4 A BETTER ENVIRONMENT

www.1-4ABE.com

54 Baileys Landing, Concord, NH 03303 (603) 753-0070 /c (603) 731-3895

Renovator Initial - English
Per 40 CFR-Part 745.225

Juan Ruiz Peña

27 Boehen St. / Lawrence, MA 01841

COURSE DATE:
6/5/2015
Examination Date:
6/5/2015
Expiration Date:
6/5/2020

x


TRAINING MANAGER/PRINCIPLE INSTRUCTOR,

6 Jun 15 Date



1-4 A BETTER ENVIRONMENT

www.1-4ABE.com

54 Baileys Landing, Concord, NH 03303 (603) 753-0070 /c (603) 731-3895

Renovator Initial - English
Per 40 CFR-Part 745.225

Jovanny Batista

7-8 Melvin St. Apt. 14-10 / Lawrence, MA 01841

COURSE DATE:
6/5/2015
Examination Date:
6/5/2015
Expiration Date:
6/5/2020

x


TRAINING MANAGER/PRINCIPLE INSTRUCTOR,

6 Jun 15 Date



1-4 A BETTER ENVIRONMENT

www.1-4ABE.com

54 Balleys Landing, Concord, NH 03303 (603) 753-0070 /c (603) 731-3895

CE

CAT

EN

C

CO

LET

Renovator Initial - English
Per 40 CFR-Part 745.225

Matt Rice

111 Rt. 125 / Kingston, NH 03848

CR 3120 B 1 0122

COURSE DATE:
6/5/2015
Examination Date:
6/5/2015
Expiration Date:
6/5/2020

x 
TRAINING MANAGER/PRINCIPLE INSTRUCTOR,

6 Jun 15 Date



1-4 A BETTER ENVIRONMENT


www.1-4ABE.com


54 Baileys Landing, Concord, NH 03303 (603) 753-0070 /c (603) 731-3895

Renovator Initial - English
Per 40 CFR-Part 745.225

Agapito Rodriguez
100 Boxford Street / Lawrence, MA 01841

COURSE DATE:
6/5/2015
Examination Date:
6/5/2015
Expiration Date:
6/5/2020

x 
TRAINING MANAGER/PRINCIPLE INSTRUCTOR,
6/5/2015 Date



1-4 A BETTER ENVIRONMENT

www.1-4ABE.com

54 Balleys Landing, Concord, NH 03303 (603) 753-0070 /c (603) 731-3895

CERTIFICATE

ATTENDANCE

SUCCESSFUL COMPLETION

OF

Renovator Initial - English


Per 40 CFR-Part 745.225

Marino Carpio

163 High Street / Lawrence, MA 01841

CERTIFICATE NUMBER: 19718-0276

COURSE DATE:
6/5/2015
Examination Date:
6/5/2015
Expiration Date:
6/5/2020

x 
TRAINING MANAGER/PRINCIPLE INSTRUCTOR,
6 Jun 15 Date



1-4 A BETTER ENVIRONMENT

www.1-4ABE.com


54 Balleys Landing, Concord, NH 03303 (603) 753-0070 /c (603) 731-3895

Renovator Initial - English
Per 40 CFR-Part 745.225

Antonio Cruz

110 D Market St. / Lawrence, MA 01843

COURSE DATE:
6/5/2015
Examination Date:
6/5/2015
Expiration Date:
6/5/2020


TRAINING MANAGER/PRINCIPLE INSTRUCTOR,
6 JUN 15 Date



1-4 A BETTER ENVIRONMENT

www.1-4ABE.com

54 Baileys Landing, Concord, NH 03303 (603) 753-0070 /c (603) 731-3895

Renovator Initial - English
Per 40 CFR-Part 745.225

William Howarth

24 East Pleasant St. / Lawrence, MA 01841

COURSE DATE:
6/5/2015
Examination Date:
6/5/2015
Expiration Date:
6/5/2020

x


TRAINING MANAGER/PRINCIPLE INSTRUCTOR,

6 Jun 15 Date



1-4 A BETTER ENVIRONMENT

www.1-4ABE.com

54 Baileys Landing, Concord, NH 03303 (603) 753-0070 /c (603) 731-3895

GOVERNMENT OF NEW HAMPSHIRE AND SUCCESS OF COMMUNITIES

Renovator Initial - English


Per 40 CFR-Part 745.225

Javier Rodriguez

339 SR South Broadway / Lawrence, MA 01843

CFR 745.225 - 15-000

COURSE DATE:
6/5/2015
Examination Date:
6/5/2015
Expiration Date:
6/5/2020

x 

TRAINING MANAGER/PRINCIPLE INSTRUCTOR,

6 Jun 15 Date



1-4 A BETTER ENVIRONMENT


www.1-4ABE.com

54 Balleys Landing, Concord, NH 03303 (603) 753-0070 /c (603) 731-3895

Renovator Initial - English
Per 40 CFR-Part 745.225

José Guerra
14 Lexington St. / Lawrence, MA 01841

COURSE DATE:
6/5/2015
Examination Date:
6/5/2015
Expiration Date:
6/5/2020

x 
TRAINING MANAGER/PRINCIPLE INSTRUCTOR,
5 Jun 15 Date



1-4 A BETTER ENVIRONMENT

www.1-4ABE.com

54 Baileys Landing, Concord, NH 03303 (603) 753-0070 /c (603) 731-3895

Renovator Initial - English
Per 40 CFR-Part 745.225

Nelson Santos

163 High St. / Lawrence, MA 01841

COURSE DATE:
6/5/2015
Examination Date:
6/5/2015
Expiration Date:
6/5/2020

x 
TRAINING MANAGER/PRINCIPLE INSTRUCTOR,

6 JUN 15 Date



1-4 A BETTER ENVIRONMENT

www.1-4ABE.com

54 Baileys Landing, Concord, NH 03303 (603) 753-0070 /c (603) 731-3895

Renovator Initial - English
Per 40 CFR-Part 745.225

Kelvin Barrera

13 Granite St. #11 / Methuen, MA 01844

COURSE DATE:
6/5/2015
Examination Date:
6/5/2015
Expiration Date:
6/5/2020

x

TRAINING MANAGER/PRINCIPLE INSTRUCTOR,

6 JUN 15 Date



1-4 A BETTER ENVIRONMENT

www.1-4ABE.com

54 Balleys Landing, Concord, NH 03303 (603) 753-0070 /c (603) 731-3895

Renovator Initial - English
Per 40 CFR-Part 745.225

Yeysson Frias
P.O. Box 271 / Salem, NH 03079

COURSE DATE:
6/5/2015
Examination Date:
6/5/2015
Expiration Date:
6/5/2020

x

TRAINING MANAGER/PRINCIPLE INSTRUCTOR,

C. J. JONES Date



1-4 A BETTER ENVIRONMENT

www.1-4ABE.com

54 Balleys Landing, Concord, NH 03303 (603) 753-0070 /c (603) 731-3895

Renovator Initial - English
Per 40 CFR-Part 745.225

Yuny Guerra
111 Rt. 125 / Kingston, NH 03848

COURSE DATE:
6/5/2015
Examination Date:
6/5/2015
Expiration Date:
6/5/2020

x 
TRAINING MANAGER/PRINCIPLE INSTRUCTOR,

6 Jun 15 Date



1-4 A BETTER ENVIRONMENT

www.1-4ABE.com


54 Baileys Landing, Concord, NH 03303 (603) 753-0070 /c (603) 731-3895

Renovator Initial - English
Per 40 CFR-Part 745.225

Elvin Guerra

111 Rt. 125 / Kingston, NH 03848

COURSE DATE:
6/5/2015
Examination Date:
6/5/2015
Expiration Date:
6/5/2020

x 
TRAINING/MANAGER/PRINCIPLE INSTRUCTOR,
6 Jun 15 Date



1-4 A BETTER ENVIRONMENT

www.1-4ABE.com

54 Baileys Landing, Concord, NH 03303 (603) 753-0070 /c (603) 731-3895

Renovator Initial - English
Per 40 CFR-Part 745.225

Ricardo Cornejo

67 Berkely St. / Lawrence, MA 01841

COURSE DATE:
6/5/2015
Examination Date:
6/5/2015
Expiration Date:
6/5/2020

x


TRAINING MANAGER/PRINCIPLE INSTRUCTOR,

6 JUN 15 Date



1-4 A BETTER ENVIRONMENT

www.1-4ABE.com

54 Baileys Landing, Concord, NH 03303 (603) 753-0070 /c (603) 731-3895

Renovator Initial - English
Per 40 CFR-Part 745.225


Carlos Guerra

174 Jackson St. / Lawrence, MA 01841

COURSE DATE:
6/5/2015
Examination Date:
6/5/2015
Expiration Date:
6/5/2020

x 
TRAINING MANAGER/PRINCIPLE INSTRUCTOR,

6 Jun 15 Date



1-4 A BETTER ENVIRONMENT

www.1-4ABE.com

54 Baileys Landing, Concord, NH 03303 (603) 753-0070 /c (603) 731-3895

Renovator Initial - English

Per 40 CFR-Part 745.225

German Arreaga

14 Willoughby St. / Lawrence, MA 01841

COURSE DATE:
6/5/2015
Examination Date:
6/5/2015
Expiration Date:
6/5/2020

x 

TRAINING MANAGER/PRINCIPLE INSTRUCTOR,

6 Jun 15 Date



United States Environmental Protection Agency

This is to certify that



Enviro Construction Services Inc.

has fulfilled the requirements of the Toxic Substances Control Act (TSCA) Section 402, and has received certification to conduct lead-based paint renovation, repair, and painting activities pursuant to 40 CFR Part 745.89

All EPA Administered States, Tribes, and Territories

This certification is valid from the date of issuance and expires August 06, 2020

NAT-F156227-1

Certification #

July 23, 2015

Issued On

A handwritten signature in black ink that reads "Michelle Price".

Michelle Price, Chief

Lead, Heavy Metals, and Inorganics Branch

1-4 A BETTER ENVIRONMENT

www.1-4ABE.com


54 Baileys Landing, Concord, NH 03303 (603) 753-0070 /c (603) 731-3895


Renovator Initial - English

Per 40 CFR-Part 745.225

Freddy Ramos

111 Rt. 125 / Kingston, NH 03848



x 
TRAINING MANAGER/PRINCIPLE INSTRUCTOR,
6/5/2015 Date

ESCI
1ST
FLR.
WINDOWS



This is to certify that

Alberto Pardo

27 Groton Street, Lawrence, MA 01843



has successfully completed the 8-hour course

Renovator Initial - English

Pursuant to 40 CFR Part 745.225

Course Location

Institute for Environmental Education
16 Upton Drive Wilmington, MA 01887

June 24, 2010

Course Dates

R-I-18398-10-07878

Certificate Number

June 24, 2010

Examination Date

June 24, 2015

Expiration Date

Training Director

1-4 A BETTER ENVIRONMENT

www.1-4ABE.com

54 Balleys Landing, Concord, NH 03303 (603) 753-0070 /c (603) 731-3895

Renovator Initial - English
Per 40 CFR-Part 745.225

Ricardo Cornejo

67 Berkely St. / Lawrence, MA 01841

COURSE DATE:
6/5/2015
Examination Date:
6/5/2015
Expiration Date:
6/5/2020

x 
TRAINING MANAGER/PRINCIPLE INSTRUCTOR,

6 JUN 15 Date



ESCI
1st
Fur
Window

RPF ASSOCIATES, INC.

320 First NH Turnpike, Northwood, NH 03261 (603) 942-5432
Class Location: Concord, NH

Certificate of Attendance and Successful Completion

Renovator Initial - English
Per 40 CFR Part 745.225

Rob Dumas

5-7 Delaware Drive, Salem, NH 03079

Certificate Number: R-I-19534-10-01266

Course Date: August 12, 2010
Examination Date: August 12, 2010
Expiration Date: August 12, 2015

Dennis N. Francoeur Jr.

Dennis N. Francoeur Jr., CIH CSP
Instructor

August 12, 2010
Date



ESCI
1st
FCH
W. 2004

1-4 A BETTER ENVIRONMENT

www.1-4ABE.com
54 Baileys Landing, Concord, NH 03303 (603) 753-0070 / c (603) 731-3895

Renovator Initial - English
Per 40 CFR-Part 745.225

Nelson Santos

163 High St. / Lawrence, MA 01841



x 
TRAINING MANAGER/PRINCIPLE INSTRUCTOR.

6/5/15 Date

ESC
1ST
FEL
WINDOWS

